


ΒΑΝΝΑ ΠΥΘΜΙΣΗΣ ΠΟΗΣ ΚΟΝΤΗ
FLOW CONTROL V. WG.
V. RÉGLAGE FLUX SR.
V. REGULACIÓN SR.


619 L



DN	A	B	D	gr
25	126,0	43,0	25,4	1.220
38	165,0	60,0	38,1	2.820
51	200,0	70,0	50,8	3.780
63	230,0	83,0	63,5	5.580
76	274,0	95,0	76,2	7.400

ΒΑΝΝΑ ΠΥΘΜΙΣΗΣ ΠΟΗΣ ΣΥΓΚ.
FLOW CONTROL V. PE.
V. RÉGLAGE FLUX BL.
V. REGULACIÓN EL.


620 L



DN	A	B	D	gr
25	126,0	83,0	25,4	1.250
38	165,0	100,0	38,1	2.860
51	200,0	124,0	50,8	3.820
63	230,0	133,0	63,5	5.640
76	274,0	145,0	76,2	7.460

ΒΑΝΝΑ ΠΥΘΜΙΣΗΣ ΠΟΗΣ ΑΚΡΑ ΑΡΞ.
FLOW CONTROL V. ME.
V. RÉGLAGE FLUX BF.
V. REGULACIÓN ER.


621 S



DN	A	B	F	gr
25	126,0	83,0	40-6	1.350
38	165,0	106,0	60-6	3.200
51	200,0	120,0	70-6	4.360
63	230,0	143,0	85-6	6.560
76	274,0	165,0	98-6	8.880

ΒΑΛΒΙΔΑ ΑΣΦΑΛΕΙΑΣ ΣΥΓΚΟΛ.
RELIEF V. PE.
S. SÛRETÉ BL.
V. SEGURIDAD EL.


630 L



DN	B	D	E	L	gr
25	60,0	25,4	43,0	163,0	2.185
38	60,0	38,1	48,5	168,5	2.270
51	70,0	50,8	54,0	178,0	2.910
63	80,0	63,5	72,0	207,0	4.550
76	90,0	76,2	90,0	210,0	6.100

ΒΑΛΒΙΔΑ ΑΣΦΑΛΕΙΑΣ ΑΚΡΑ ΑΡΞ.
RELIEF V. ME.
S. SÛRETÉ BF.
V. SEGURIDAD ER.


631 S



DN	B	E	F	L	gr
25	75,0	58,0	40-6	163,0	2.325
38	80,0	66,5	60-6	168,5	2.650
51	90,0	74,0	70-6	178,0	3.310
63	104,0	96,0	85-6	207,0	5.290
76	114,0	114,0	98-6	210,0	7.060

ΒΑΛΒΙΔΑ ΑΣΦΑΛΕΙΑΣ ΑΡΞΕΝ.-ΣΥΓΚΟΛ.
RELIEF V. PE / ME.
S. SÛRETÉ BL / BF.
V. SEGURIDAD EL / ER.

632 S



DN	B	D	E	L	gr
25	60,0	25,4	58,0	163,0	2.255
38	60,0	38,1	66,5	168,5	2.460
51	70,0	50,8	74,0	178,0	3.110
63	80,0	63,5	96,0	207,0	4.920
76	90,0	76,2	114,0	210,0	6.580